


NODE POINT MEASUREMENTS

C-D = 13'-11 3/4"	F-G = 13'-0 3/4"
C-E = 11'-4 3/4"	F-H = 15'-11 1/2"
C-F = 20'-4"	F-I = 14'-2 5/8"
C-G = 27'-9 1/4"	F-J = 8'-11 1/4"
C-H = 29'-5 1/2"	F-K = 27'-1"
C-I = 31'-6 5/8"	F-L = 28'-9 3/4"
C-J = 29'-3 1/4"	F-M = 25'-5 7/8"
C-K = 6'-9 7/8"	
C-L = 15'-6 5/8"	G-H = 2'-11 5/8"
C-M = 25'-10 5/8"	G-I = 5'
	G-J = 13'-1 1/4"
D-E = 20'-5 3/8"	G-K = 33'-6 1/4"
D-F = 22'-7"	G-L = 29'-4 1/4"
D-G = 22'-6 5/8"	G-M = 18'-2 3/4"
D-H = 22'-10 1/4"	
D-I = 27'-5 1/4"	H-I = 6'-3 7/8"
D-J = 30'-2 3/4"	H-J = 15'-10 1/8"
D-K = 15'-6 5/8"	H-K = 34'-10 5/8"
D-L = 6'-9 7/8"	H-L = 29'-6 3/8"
D-M = 12'-9 7/8"	H-M = 16'-9 7/8"
E-F = 11'-4 3/4"	I-J = 10'-10"
E-G = 22'-9 3/4"	I-K = 37'-7 1/2"
E-H = 25'-3 3/4"	I-L = 34'-3"
E-I = 25'-1 5/8"	I-M = 22'-11 3/4"
E-J = 19'-9"	
E-K = 18'-0 3/8"	J-K = 36'-0 1/8"
E-L = 24'-9 1/4"	J-L = 36'-9 1/2"
E-M = 28'-9"	J-M = 30'-1 3/4"
	K-L = 13'-11 3/4"
	K-M = 28'-4 3/8"
	L-M = 17'-3 3/8"

RADII

C = 4' RADIUS
D = 4' RADIUS
E = 9' RADIUS
F = 4' RADIUS
G = 11' RADIUS
H = 8' RADIUS
I = 6' RADIUS
J = 4'-9 7/8" RADIUS
K = 2'-9 7/8" RADIUS
L = 2'-9 7/8" RADIUS
M = 8'-9 7/8" RADIUS



POOL PANEL DESCRIPTIONS

QTY.	DESCRIPTION
1	8'-4" x 5'-4" x 48" Step Assembly w/ 2' Radius
1	9' Radius Side Sundek Assembly
4	4" x 20" x 48" Adj Offset Hinged ISC (Pilaster)
	<u>Straight Panels</u>
4	5" x 48" Panel
2	12" x 48" Panel
1	28" x 48" Panel
1	32" x 48" Panel
	<u>Radius Panels</u>
4	18 1/4" x 48" 24" Radius 45° Corners
4	26" x 48" 34" Radius 45° Corners
1	16 3/4" x 48" - 48" Radius Panel
1	20 1/4" x 48" - 58" Radius Panel
9	33 1/2" x 48" - 48" IS Radius Panel
8	40 1/2" x 48" - 58" OS Radius Panel
2	45 1/4" x 48" - 72" Radius Panel
2	51 1/2" x 48" - 82" Radius Panel
8	33 1/2" x 48" - 96" Radius Panel
8	37" x 48" - 106" Radius Panel
1	37 3/4" x 48" - 120" OS Radius Panel
1	40 3/4" x 48" - 130" IS Radius Panel
6	34 1/2" x 48" - 132" OS Radius Panel
5	37 1/4" x 48" - 142" IS Radius Panel

BELEK - 87 Bennett Road

20' x 43' - 10" Concrete Wall - Freeform
w/ 8'-4" x 5'-4" Step & 10' x 18' Sun Deck
Pool Perimeter = 141' Pool Area = 985 S. F.
Approximate Pool Gallons: 37,965 Gallons

Concrete Yards
- Total Yards: 23 yards (21.84 exact)



PANEL LAYOUT

JOB #: 555030
DATE: 8-12-2015
DRAWN BY: SA


REVISIONS




SEASONAL WORLD
WE BUILD BACKYARDS!



STEP TIES:



8'-4" Outside End Step - 24"R Corners



8'-4" Step
Qty(4)
Qty(2)
Qty(2)
Qty(2)
Qty(12)

STEP PANEL DESCRIPTIONS

PAGE	QTY.	DESCRIPTION
OES 8.1	2	20 x 78 Outside Corner x 48
OES 8.2	2	10 x 52 ISC Riser Side x 48
OES 8.3	2	38 x 8 - 24" Radius ISC Top Step Riser
OES 8.4	1	52 x 8 Top Step Riser
OES 8.5	4	80 x 10 Step Riser
OES 8.6	1	52 x 48 SA Panel
OES 8.7	2	14 x 48 SA Panel



BELEK - 87 Bennett Road
20' x 43' - 10" Concrete Wall - Freeform
w/ 8'-4" x 5'-4" Step & 10' x 18' Sun Deck
Pool Perimeter = 141' Pool Area = 985 S. F.
Approximate Pool Gallons: 37,965 Gallons

Concrete Yards
- Total Yards: 23 yards (21.84 exact)

STEP DETAIL			
JOB #: 555030			
DATE: 8-12-2015			
SCALE: 1' = 1/2 "			
DRAWN BY: SA & LH			



SEASONAL WORLD
WE BUILD BACKYARDS!



Concrete Yards
- Total Yards: 23 yards (21.84 exact)



SEASONAL WORLD
WE BUILD BACKYARDS!