

NODE POINT
MEASUREMENTS

A-B = 30'-0"
A-C = 16'-9"
A-D = 15'-9"
A-E = 20'-11"
A-F = 21'-1"
A-G = 28'-2"
A-H = 21'-10"
A-I = 32'-2"
A-J = 32'-6"
A-K = 29'-0"
A-L = 11'-11"


B-C = 15'-0"
B-D = 15'-10"
B-E = 9'-1"
B-F = 19'-6"
B-G = 26'-9"
B-H = 27'-10"
B-I = 29'-9"
B-J = 18'-2"
B-K = 8'-8"
B-L = 32'-7"

C-D = 1'-0"
C-E = 7'-0"
C-F = 8'-5"
C-G = 17'-9"
C-H = 15'-4"
C-I = 21'-10"
C-J = 16'-11"
C-K = 12'-3"
C-L = 17'-7"

D-E = 7'-7"
D-F = 8'-9"
D-G = 18'-0"
D-H = 15'-3"
D-I = 22'-2"
D-J = 17'-9"
D-K = 13'-3"
D-L = 16'-10"

RADII

C = 9'-0" RADIUS
D = 8'-0" RADIUS
E = 2'-0" RADIUS
F = 8'-0" RADIUS
G = 8'-0" RADIUS
H = 4'-0" RADIUS
I = 4'-0" RADIUS
J = 3'-10" RADIUS
K = 4'-10" RADIUS
K = 8'-10" RADIUS



POOL PANEL DESCRIPTIONS

QTY.	DESCRIPTION
1	8'-4" x 5'-4" x 48" Step Assembly w/ 6" Radius
1	6' Straight Love Seat Assembly
4	4" x 20" x 48" Adj Offset Hinged ISC (Pilaster)
	Straight Panels
2	12" x 48" Panel
2	16" x 48" Panel
1	28" x 48" Panel
1	32" x 48" Panel
	Radius Panels
1	18 1/4" x 48" 24" Radius 45° Inside Corners
1	26" x 48" 34" Radius 45° Outside Corners
1	28" x 48" 36" Radius Panel
1	36" x 48" 46" Radius Panel
1	16 3/4" x 48" - 48" Radius Panel
1	20 1/4" x 48" - 58" Radius Panel
4	33 1/2" x 48" 48" Radius Panel
4	40 1/2" x 48" 58" Radius Panel
4	33 1/2" x 48" 96" Radius Panel
3	37" x 48" 106" Radius Panel
4	50 1/4" x 48" 96" Radius Panel
4	55 1/2" x 48" 106" Radius Panel
1	18 3/4" x 48" 108" Radius Panel
1	20 1/2" x 48" 118" Radius Panel
6	37 3/4" x 48" - 108" Radius Panel
5	41 1/4" x 48" - 118" Radius Panel

MASCHKE - 508 Perry Drive
18' x 35' - 10" Concrete Wall - Aspen
w/ 5'-4"-8'-4" Vinyl Covered Steps
Pool Perimeter = 101'
Pool Area = 548 S. F.
Approximate Pool Gallons: 18,000 Gallons



Concrete Yards
- Pool Walls & Steps: 19.5 yards (18.3 exact)

PANEL LAYOUT



JOB #: 555139
DATE: 07-29-2016
DRAWN BY: SA

REVISIONS		





STEP TIES:



8'-4" Step
Qty(4)

Qty(2)

Qty(2)

Qty(2)

Qty(12)

8'-4" x 5'-4" Outside End Step - 6" Radius Corners

STEP PANEL DESCRIPTIONS

QTY.	DESCRIPTION
4	80 x 10 Risers
1	80 x 8 Top Riser
1	24 x 48 SA Panel
1	56 x 48 SA Panel-Back Wall
2	4 x 64 x 20 x 48 OSC Zee Panel
2	10 x 64 x 14 x 48 ISC Riser Sides

MASCHKE - 508 Perry Drive
18' x 35' - 10" Concrete Wall - Aspen
w/ 5'-4"-8'-4" Vinyl Covered Steps
Pool Perimeter = 101'
Pool Area = 548 S. F.
Approximate Pool Gallons: 18,000 Gallons

Concrete Yards
- Pool Walls & Steps: 19.5 yards (18.3 exact)

STEP DETAIL


JOB #: 555139
DATE: 07-29-2016
SCALE: 1' = 1/2 "
DRAWN BY: SA



SEASONAL WORLD
WE BUILD BACKYARDS!

Technical drawing of a trapezoidal plate with the following dimensions and annotations:

- Top Horizontal Edge:** Length 96.
- Bottom Horizontal Edge:** Length 72.
- Right Vertical Edge:** Height 24.
- Left Slanted Edge:** Length 112.5.
- Right Slanted Edge:** Length 112.5.
- Top Horizontal Edge (Inner):** Length 45 1/2.
- Right Vertical Edge (Inner):** Height 9 7/8.
- Left Slanted Edge (Inner):** Length 16 9/16.
- Right Slanted Edge (Inner):** Length 16 9/16.
- Angles:** 67.5° at the top corners.
- Radiuses:** R8 1/8 at the top corners, R6 at the bottom corners.
- Annotations:** "R8 1/8" and "R6" are labeled with arrows pointing to the respective corner radiuses.



QTY.	LOVE SEAT PANEL DESCRIPTIONS
2	16 3/4" x 16 3/4" x 48" OSC
2	3 1/4" x 9 1/4" x 48" ISC
1	36" x 48" SA Panel
2	10 3/16" x 10 3/16" x 24" ISC 8" Radius - Fixed 67.5° Bench Form
2	30" x 15 29/32" x 48" OSC 6" Radius - Fixed 67.5° Riser Side
2	36" x 24" SA Panel

18' x 35' - 10" Concrete Wall - Aspen
w/ 5'-4"-8'-4" Vinyl Covered Steps

Pool Area = 548 S. F.

Approximate Pool Gallons: 18,000 Gallons

- Pool Walls & Steps: 19.5 yards (18.3 exact)

BENCH DETAIL			
JOB #: 555139			
DATE: 07-29-2016			
SCALE: 1' = 1/2 "			
DRAWN BY: SA			



SEASONAL WORLD

WE BUILD BACKYARDS!